

LU PENDANT (SMALL)

DESIGNED BY BEAVERHAUSEN

THE LU PENDANT IS ALL ABOUT TWO CONTRASTING FORMS AND THEIR INTERACTION WITH EACH OTHER. THE BOLD VERTICAL ELEMENT APPEARS TO FLOAT THROUGH A THIN CIRCULAR LIGHT SOURCE. THE COMBINATION OF THESE TWO DISTINCTIVE SHAPES RESULTS IN AN APPEALING DESIGN THAT IS PERFECTLY BALANCED.



2020

CATEGORY

LIGHTING

BASE

PAINTED METAL

SHADE

MATT WHITE ACRYL

CORD

FABRIC COVERED 3000 MM

LIGHT BULB

WE RECOMMEND TO USE:

- OSRAM PARATHOM CLASSIC P 25, E14, LED, 45 MM
- MEGAMAN LG5502.2/LG2402D, LED, E14, LED, 26 MM

CERTIFICATION

CE

SPECIFICATIONS

E14, MAX 25 W

CANOPY

BLACK / TAUPE PAINTED METAL (Ø 100 x H 20 mm)

MAINTENANCE

FOR DAILY CARE, WIPE OFF WITH A CLEAN, MOIST CLOTH FOLLOWED BY A SOFT DRY CLOTH







DIMENSIONS

Ø 330 x H 220 mm Ø 12.9 x H 8.6 "

ITEM NO / COLOUR

132100 BLACK (SMALL)
132101 TAUPE (SMALL)

LU PENDANT (LARGE)

DESIGNED BY BEAVERHAUSEN

THE LU PENDANT IS ALL ABOUT TWO CONTRASTING FORMS AND THEIR INTERACTION WITH EACH OTHER. THE BOLD VERTICAL ELEMENT APPEARS TO FLOAT THROUGH A THIN CIRCULAR LIGHT SOURCE. THE COMBINATION OF THESE TWO DISTINCTIVE SHAPES RESULTS IN AN APPEALING DESIGN THAT IS PERFECTLY BALANCED.



2020

CATEGORY

LIGHTING

BASE

PAINTED METAL

SHADE

MATT WHITE ACRYL

CORD

FABRIC COVERED 3000 MM

LIGHT BULB

WE RECOMMEND TO USE:

- OSRAM PARATHOM CLASSIC P 25, E14, LED, 45 MM
- MEGAMAN LG5502.2/LG2402D, LED, E14, LED, 26 MM

CERTIFICATION

CE

SPECIFICATIONS

E14, MAX 25W


CANOPY

BLACK / TAUPE PAINTED METAL (Ø 100 x H 20 mm)

MAINTENANCE

FOR DAILY CARE, WIPE OFF WITH A CLEAN, MOIST CLOTH FOLLOWED BY A SOFT DRY CLOTH





DIMENSIONS

Ø 450 x H 220 mm Ø 17.7 x H 8.6 "

ITEM NO / COLOUR

132105 BLACK (LARGE) 132106 TAUPE (LARGE)